

am



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/620,498	07/20/2000	YOSHIO HAGIHARA	15162/02240	3562

24367 7590 03/23/2005

SIDLEY AUSTIN BROWN & WOOD LLP  
717 NORTH HARWOOD  
SUITE 3400  
DALLAS, TX 75201

EXAMINER

AGGARWAL, YOGESH K

ART UNIT PAPER NUMBER

2615

DATE MAILED: 03/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

04

## Office Action Summary

Application No.

09/620,498

Applicant(s)

HAGIHARA, YOSHIO

Examiner

Yogesh K Aggarwal

Art Unit

2615

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 08 October 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,2,6-8,10-18,20 and 23-39 is/are pending in the application.
- 4a) Of the above claim(s) 4,5,9,19,21 and 22 is/are withdrawn from consideration.
- 5) ☒ Claim(s) 10-13,15,17,18,20,23,24 and 30-39 is/are allowed.
- 6) ☒ Claim(s) 1,2,6-8,11,14 and 16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 July 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 2, 6, 11, 16 and 25-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dierickx (US PG-PUB # 2001/0045508) in view of Nakamura et al. (5,289,286).

[Claims 1,25]

Dierickx teaches an image-sensing apparatus (figure 1) comprising a plurality of pixels the pixels (10) each comprising comprise a photoelectric conversion portion (1) that has a photosensitive element for producing an electric signal in accordance with amount of incident light and that outputs a signal obtained by converting the electric signal natural-logarithmically (Paragraphs 25 and 26, figures 1 and 2). Dierickx further teach that to calibrate the PRNU (pixel response non uniformities or variation in sensitivity of the photoelectric conversion portion) of each pixel, a reading of the pixel is done with a predetermined current and added with a current injected from the current source 2 (injecting an electric charge into the photoelectric conversion portion, Paragraph 27). A controller would be inherently taught. Dierickx does not explicitly teach an integrator circuit.

However Nakamura et al. teaches an integrator circuit (figure 13, transistor 2b and capacitor 3) that integrates the signal output from the photoelectric conversion portion (figures

Art Unit: 2615

12 and 13, photoelectric portion 1) so that a signal integrated by the integrator circuit is fed by way of the lead-out path ( $V_o$ ) to the output signal line (col. 30 lines 30-60).

Therefore taking the combined teachings of Dierickx and Nakamura, it would have been obvious to one skilled in the art at the time the invention was made to have been motivated to have an integrator circuit that integrates the signal output from the photoelectric conversion portion so that a signal integrated by the integrator circuit is fed by way of a lead-out path to the output signal line as taught by Nakamura into the circuit of Dierickx in order to integrate and store the charges accumulated on the photoelectric portion to obtain a strong signal that facilitates the signal processing.

[Claim 2]

Dierickx discloses an array of pixels are arranged a matrix (Paragraphs 3 and 4).

[Claims 6 and 27]

Dierickx discloses an amplifying transistor (48) in third embodiment (figure 4) (Paragraph 34) in order to amplify the signal readout within the pixel. The leadout path is taught in Nakamura (col. 30 lines 30-60).

[Claims 11 and 26]

Dierickx discloses a first transistor (7) for reading out the signal acquired in the photosensitive element and converted to a voltage drop across the first transistor (Paragraph 32). A transistor is read as a switch that is used for selecting pixels one after another and turning on and off the electric signal output line.

[Claim 16]

Art Unit: 2615

Dierickx teaches to calibrate the PRNU (pixel response non uniformities or variation in sensitivity of the photoelectric conversion portion) of each pixel, a reading of the pixel is done with a predetermined current and added with a current injected from the current source 2 (injecting an electric charge into the photoelectric conversion portion, Paragraph 27). A controller would be inherently taught. Dierickx further teaches that the method is advantageous because no illumination of light is necessary which means that the controller detects variations in sensitivity of the photoelectric conversion portion of the individual pixels with the photosensitive elements of the individual pixels kept in a dark state.

3. Claims 7, 8 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dierickx (US PG-PUB # 2001/0045508) in view of Nakamura et al. (5,289,286) and in further view of Kuroda (6,512,543).

[Claims 7 and 28]

Dierickx in view of Nakamura teach the limitations of claim 6 and 25 but fails to teach load resistors or constant current sources connected to the output serial line, a total number of the load resistors or constant current sources being smaller than a total number of pixels.

Nevertheless, Kuroda teaches a CMOS image sensor wherein constant current sources (Figure 1, Element 44) are connected to the output signal line (Figure 1, Element 43), a total number of constant sources being smaller than the total number of pixels (There are 3 constant current sources for 9 pixels). The combination of the constant current sources would have been obvious, both the inventions of Moose and Kuroda are of CMOS image sensors. The load transistor in Kuroda serves as a constant current source for the source follower circuit including

Art Unit: 2615

the load transistor and it determines an electric current flowing in that source follower circuit column 7, Line 60 through Column 8, line 9).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to configure the invention of CMOS image sensor of Dierickx in view of Nakamura with the constant current source of Kuroda in order to determine the current flowing through the source follower circuit.

[Claim 8]

Kuroda further discloses wherein the constant-current sources each comprise a resistive transistor (44) having a first electrode connected to the output signal line, a second electrode connected to a direct-current voltage, and a control electrode connected to a direct-current voltage (44).

4. Claims 14 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dierickx (US PG-PUB # 2001/0045508) in view of Nakamura et al. (5,289,286) and in further view of Hynecek (US 6,323,479).

[Claims 14 and 29]

Dierickx in view of Nakamura teach the limitations of claims 1 and 25 but fails to teach wherein, during image sensing, the pixels can operate selectively either in a first state in which the photoelectric conversion portion converts the electric signal linearly and in a second state in which the photoelectric conversion portion converts the electric signal natural logarithmically.

However, Hynecek teaches a sensor pixel linear and logarithmic response, further disclosing, during image sensing, the pixels can operate selectively either in a first state in which the photoelectric conversion portion converts the electric signal linearly and in a second state in

Art Unit: 2615

which the photoelectric conversion portion converts the electric signal natural logarithmically (Abstract, Column 2, Line 60 through Column 3, Line 31). The logarithmic range begins after the region of sub-threshold conduction begins. The device of Hynecek provides for two regions of predetermined voltage. When the first predetermined is exceeded, the logarithmic response begins. When the second predetermined voltage is reached, the linear response begins.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to configure solid state imaging device of Dierickx in view of Nakamura with the sensor pixel with linear and logarithmic response of Hynecek in order to obtain white balance without the use of multiplication and division which are needed to be performed every time the color temperature changes during the linear region. Therefore in order to simplify the circuit the white balance are performed for logarithmic response without the use of multiplication and division.

*Allowable Subject Matter*

5. Claims 10, 12, 13, 15, 17, 18, 20-24, 30-34, 35-39 are allowed.

6. The following is a statement of reasons for the indication of allowable subject matter:

Regarding claims 30-34, 35-39 the prior art fails to suggest or teach An image-sensing apparatus comprising a plurality of pixels, the pixels each comprising a photoelectric conversion portion including “.... a first transistor having a first electrode connected to the second electrode of the photosensitive element, a second electrode, and a control electrode, the first transistor receiving an output current from the photoelectric element, the first transistor having a plurality of potentials applied to the second electrode among other elements”.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yogesh K Aggarwal whose telephone number is (571) 272-7360. The examiner can normally be reached on M-F 9:00AM-5:30PM.

7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Groody can be reached on (571) 272-7950. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YKA  
March 18, 2005

  
TUAN HO  
PRIMARY EXAMINER